

# Functional Impairment Assessment Scale

Patient Name: \_\_\_\_\_ Date: \_\_\_\_\_


## What best describes your situation now?

Your anxiety symptoms need to be the factor interfering with your daily functioning. Do not score high simply because you have not been in the situation. Try to imagine yourself in the situation and see if the anxiety would interfere with work, social life, and so on.

### Work


During the past week, how many days of work have you lost due to your mood problem? \_\_\_\_\_

During the past week, how would you rate your ability, on a scale of 0–100, to work to your potential?




### Social Life/Leisure Activities

During the past week, how would you rate your ability, on a scale of 0–100, to socialize with other people at parties, socializing, visiting, dating, outings, clubs, entertaining?




### Family Life/Home Responsibilities

During the past week, how would you rate your ability, on a scale of 0–100, to relate to your home responsibilities (family members, paying bills, managing home, shopping, and cleaning)?



### Relationship with Spouse/Partner

During the past week, how would you rate your relationship, on a scale of 0–100, with your partner/spouse?



FOR CLINICIAN USE

## ***Functional Impairment Assessment Scale***

### ***Assessment Scoring***

Providers can use this tool to monitor specific areas of daily functioning affected by the disorders. Providers can also monitor overall functioning. To obtain an overall functioning score, total the scores in all four domains. Improvements in dysfunction caused by disorders will be reflected by increasing total scores. There are no cut-off scores.